

What is karyotyping?

• A laboratory technique that allows scientists to visualize all the chromosome pairs of an organism in a glance to identify chromosome abnormalities.





Preparing a Karyotype:



- Cells are removed from the organism.
- When the cells reach the very beginning of metaphase, a chemical called Colchicine is added to stop mitosis.
- Chromosomes are then placed on a microscope slide and photographed.
- The photograph is called a chromosome smear or chromosome spread.



A scanning electron micrograph (SEM) of human chromosomes clearly showing their double chromatids.

This SEM shows the human X and Y chromosomes. Although these two are the sex chromosomes, they are not homologous.



Cytogeneticists...

- Cytogeneticists are Scientists who study karyotypes.
- After the chromosome spread is made, the cytogeneticists enlarge and cut out the chromosomes.
- Then the chromosomes are organized by pairs.











XXX 2 Carrieros A CHEN) Consult. avera. 7 10 11 12 8 9 ALL D A C-CAL MAN SCOT N C-MIC -16 17 18 15 13 14 K COULDER CROS ar -610 12 18 AR ¥ 19 20 21 22 Finished karyotype



Com.	4	ACTER 2	Constant of		Contraction of the second of t				
and the second second	Str.	Comp.	See.		2				
9,6	1	15		8 17	ê <u>ê</u> ê				
8 B 19	8 8	0. 21	8 22	A.	Y				







Dog:															
1		1(1 4 1 5 4 1 5 4 2 5 4 2 5 4 2 5 4 2 5 4 2 5 4 1 5 4 1 5 4 1 5 4 1 5 4 1 5 4 1 5 5 5 5 5 5 5 5 5 5 5 5 5	7	-	89		13	88	t!	$\begin{bmatrix} 1\\ 2\\ 3\\ 3\\ 3\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 2\\ 3\\ 4\\ 4\\ 2\\ 3\\ 4\\ 4\\ 2\\ 3\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\ 4\\$	19	80	11	
2	88	H	$ \begin{array}{c} \frac{1}{2} & 1 \\ \frac{1}{2} & 2 \\ \frac{3}{5} & 2 \\ \frac{5}{4} \end{array} $	8	88	31		14	88	Ħ	1 1 1 2	20		**	a space of the spa
3	88	N		9	-	21	$\begin{bmatrix} \frac{1}{2} & 1 \\ \frac{1}{3} & 2 \\ \frac{1}{3} & 2 \\ \frac{1}{3} & 2 \\ \frac{1}{3} & 2 \end{bmatrix}$	15	#8	1		21	89	a	
4	18	444	$\begin{bmatrix} \frac{1}{2} & \frac{2}{3} & 1 \\ \frac{1}{2} & \frac{2}{3} & \frac{2}{3} \end{bmatrix}$	10	88	-		16	¥8.	я	$\begin{bmatrix} \frac{1}{2} & 1\\ \frac{1}{2} & 3 & 2\\ \frac{3}{2} & 4 \end{bmatrix}$	x	and Rec.	1	5 4 3 7 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
5	200	14 m	$\begin{bmatrix} \frac{1}{2} & 2 \\ \frac{3}{5} & 1 \end{bmatrix}$	11		74		17	88	#1		Y		•	
6		4	1 2 4 1 7 7 7 7 7 7 7 7 7 7 7 7 7	12	-	11	,	18	98	44		tistal posi- tistal half tree band 222 in the tree band	g distinct procl- band (21) in the 8 give band (24). It is a distinct possi- distinct possitive band (25) and (25) a distinct possi- c a distinct possi- c a distinct possi-	nii Two regione 20 a negative or distal posi tri distal posi mal ball, a wid mid a distal p Two regione	the differs in Chromosome B store band (1 and a disfer Chromosome I4 (21) In the c distat ball Goromosome I5



To contra 200 R36 AL IN Pig: 1 2 3 5 4 KUNK 6 7 and and HE 000 11 IL IL x y 10 9 10 11 12 art.co ALC: NO -Real Property -----13 14 15 17 18 16